



SECTION E CERTIFICATION

This certification is to be signed by a land surveyor, engineer, or architect who is authorized by state or local law to certify elevation information when the elevation information for Zones A1-A30, AE, AH, A (with BFE), V1-V30, VE, and V (with BFE) is required. Community officials who are authorized by local law or ordinance to provide floodplain management information, may also sign the certification. In the case of Zones AO and A (without a FEMA or community issued BFE), a building official, a property owner, or an owner's representative may also sign the certification.

Reference level diagrams 6, 7 and 8 - Distinguishing Features-If the certifier is unable to certify to breakaway/non-breakaway wall, enclosure size, location of servicing equipment, area use, wall openings, or unfinished area Feature(s), then list the Feature(s) not included in the certification under Comments below. The diagram number, Section C, Item 1, must still be entered.

I certify that the information in Sections B and C on this certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

REGISTERED PROFESSIONAL LAND SURVEYOR

*Herbert A. Farber*

CERTIFIER'S NAME LICENSE NUMBER (or Affix Seal)

HERBERT A. FARBER

TITLE COMPANY NAME

PRESIDENT FARBER & SONS INC.

OREGON  
MAY 24, 1998  
HERBERT A. FARBER  
2009

ADDRESS CITY STATE ZIP


120 MISTLETOE MEDFORD OR 97504

SIGNATURE DATE PHONE

*Herbert A. Farber* 2-27-98 (541) 776-0846

Copies should be made of this Certificate for: 1) community official, 2) insurance agent/company, and 3) building owner.

COMMENTS: UNABLE TO CERTIFY BREAKAWAY OR NON-BREAKAWAY WALL TYPE. BASE FLOOD ELEV., PER JOHN JENSEN, P.E., CONSTRUCTION DRAWINGS FOR STONECREEK NO. 4, PHASE II, CENTRAL POINT, OR.



The diagrams above illustrate the points at which the elevations should be measured in A Zones and V Zones. Elevations for all A Zones should be measured at the top of the reference level floor. Elevations for all V Zones should be measured at the bottom of the lowest horizontal structural member.

RENEWAL DATE 12-31-99