

ORDINANCE NO. 2002

AN ORDINANCE AMENDING THE CENTRAL POINT ZONING ORDINANCE,
CHAPTER 17.08 .010 DEFINITIONS; 17.64.040, LAND USE – TOD DISTRICT;
17.65.050 ZONING REGULATIONS - TOD DISTRICT; 17.65.070 ZONING
REGULATIONS - TOD CORRIDOR

Recitals:

- A. The City of Central Point (City) is authorized under Oregon Revised Statute (ORS) Chapter 197 to prepare, adopt and revise comprehensive plans and implementing ordinances consistent with the Statewide Land Use Planning Goals.
- B. The City has coordinated its planning efforts with the State in accordance with ORS 197.040(2)(e) and OAR 660-030-0060 to assure compliance with goals and compatibility with City Comprehensive Plans.
- C. Pursuant to the requirements set forth in CPMC Chapter 17.10.100 Zoning Map and Zoning Code Text Amendments – Purpose and Chapter 17.05.010, Applications and Development Permit Review Procedures, the City has accepted an application and conducted the following duly advertised public hearings to consider the proposed amendment:
 - a) Planning Commission hearing on January 6, 2015
 - b) City Council hearings on January 8, 2015 and January 22, 2015.

THE PEOPLE OF THE CITY OF CENTRAL POINT DO ORDAIN AS FOLLOWS:


Section 1. Based upon all the information received, the City Council adopts the findings of fact and conclusions of law set forth in the City staff report; determines that changing community conditions, needs and desires justify the amendments and hereby adopts the changes entirely.

Section 2. The City zoning text is hereby amended as set forth in Exhibit A which is attached hereto and by this reference incorporated herein.

Section 3. The City Manager is directed to conduct post acknowledgement procedures defined in ORS 197.610 et seq. upon adoption of the changes to the zoning ordinance.


Section 4. Effective date. The Central Point City Charter states that an ordinance enacted by the council shall take effect on the thirtieth day after its enactment. The effective date of this ordinance will be the thirtieth day after the second reading.

Passed by the Council and signed by me in authentication of its passage this 22nd day of January, 2015.



Mayor Hank Williams

ATTEST:



City Recorder

EXHIBIT "A"

Chapter 17.08 DEFINITIONS

17.08.010 Definitions, specific

"Congregate (Senior) Housing" means a multi-family living arrangement, with common dining facilities, designed for healthy older adults in which residents live in their own living unit and have various opportunities for socialization with other residents. Housekeeping and maintenance services are provided, but health maintenance services are scheduled independently by the residents.

"Dwelling Unit, **Living Unit**" means one or more rooms designed for occupancy by one family and having no more than one cooking facility.

Chapter 17.64 Off-Street Parking and Loading

17.64.040 Off-Street parking requirements

TABLE 17.64.02A

RESIDENTIAL OFF-STREET PARKING REQUIREMENTS

Use Categories	Minimum Vehicle Parking Requirement (fractions rounded down to the closest whole number)
RESIDENTIAL	
Single-Family Residential	2 spaces per dwelling unit, both of which must be covered.
Accessory Dwelling Unit	1 space per accessory dwelling unit.
Two-Family	2 spaces per dwelling unit, both of which must be covered.
Multiple-Family	1 space per studio or 1-bedroom unit;
	1.5 spaces per 2-bedroom unit; and
	2 spaces per 3+-bedroom unit.
	plus 1 guest parking space for each 4 dwelling units or fraction thereof.
Mobile Home Parks	2 spaces per dwelling unit on the same lot or pad as the mobile home (may be tandem); plus 1 guest space for each 4 mobile homes.
Residential Home	2 spaces per dwelling unit, both of which must be covered.
Residential Facility	.75 spaces per bedroom

EXHIBIT "A"

TABLE 17.64.02A

RESIDENTIAL OFF-STREET PARKING REQUIREMENTS

Use Categories	Minimum Vehicle Parking Requirement (fractions rounded down to the closest whole number)
Congregate (Senior) Housing	4.5 spaces per dwelling unit
Boarding Houses, Bed and Breakfast	1 space per guest unit; plus 1 space per each 2 employees

CHAPTER 17.65 TOD DISTRICTS AND CORRIDORS

17.65.050 Zoning regulations – TOD district

Table 1 TOD District Land Uses							
Use Categories	Zoning Districts						
	LMR	MMR	HMR	EC	GC	C	OS
Residential							
Dwelling, Single-Family							
Large and standard lot	P	L5	N	N	N	N	N
Zero lot line, detached	P	P	N	N	N	N	N
Attached row houses	P	P	P	C	N	N	N
Dwelling, Multifamily							
Multiplex, apartment	P	P	P	L1	L1	N	N
Congregate (Senior) Housing	L6	P	P	L1	L1	N	N
Accessory Units	P1	P1	P1	C	N	N	N
Boarding/Rooming House	N	C	C	N	N	N	N

EXHIBIT "A"

Table 1							
TOD District Land Uses							
Use Categories	Zoning Districts						
	LMR	MMR	HMR	EC	GC	C	OS
Family Care							
Family day care	P	P	P	N	N	N	N
Day care group home	C	C	P	N	N	N	N
Adult day care	C	C	C	N	N	N	N
Home Occupation							
Residential Facility							
Residential Home							
Senior Housing	N	P	P	L1	N	C	N
Commercial							
Entertainment							
Professional Office							
Retail Sales and Service							
Sales-oriented	C	L3	L3	P	P	N	N
Personal service-oriented	C	C	C	P	P	N	N
Repair-oriented	N	N	N	P	P	N	N
Drive-through facilities	N	N	N	P	P	N	N
Quick vehicle service	N	N	N	P	P	N	N
Vehicle sales, rental and repair	N	N	N	P	P	N	N
Tourist Accommodations							
Motel/hotel	N	N	C	P	P	N	N
Bed and breakfast inn	C	C	P	P	P	N	N
Industrial							
Manufacturing							

EXHIBIT "A"

Table 1							
TOD District Land Uses							
Use Categories	Zoning Districts						
	LMR	MMR	HMR	EC	GC	C	OS
Industrial Service							
Light	N	N	N	N	P	N	N
Heavy	N	N	N	N	C	N	N
Wholesale Sales	N	N	N	N	P	N	N
Civic							
Community Services	C	C	C	N	N	P	C
Hospital	C	C	C	C	N	C	N
Public facilities	C	C	C	C	C	C	N
Religious assembly	C	C	C	C	N	P	N
Schools	C	C	C	N	N	P	L2
Utilities	C	C	C	C	C	C	C
Open Space							
Parks and Open Space	P	P	P	P	P	P	P

N--Not permitted.

P--Permitted use.

P1--Permitted use, one unit per lot.

C--Conditional use.

L1--Only permitted as residential units above ground floor commercial uses.

L2--School athletic and play fields only. School building and parking lots are not permitted.

L3--Ground floor business within a multifamily building. Maximum floor area of ten thousand square feet per tenant.

L4--Second story offices may be permitted in areas adjacent to EC zones as a conditional use.

EXHIBIT "A"

L5--Only permitted as a transition between lower density zones and/or when adjacent to an environmentally sensitive area.

L6—Permitted only when part of an existing or proposed congregate housing project on abutting property under the same ownership within the MMR or HMR district..

Table 2 TOD District Zoning Standards							
Standard	Zoning Districts						
	LMR	MMR	HMR	EC	GC	C	OS
Density--Units Per Net Acre (f)							
Maximum	12	32	NA	NA	NA	NA	NA
Minimum	6	14	30	NA	NA	NA	NA
Dimensional Standards							
Minimum Lot or Land Area/Unit							
Large single-family	5,000 SF	NA	NA	NA	NA	NA	NA
Standard single-family	3,000 SF	NA	NA	NA	NA	NA	NA
Zero lot line detached	2,700 SF	2,700 SF	NA	NA	NA	NA	NA
Attached row houses	2,000 SF	1,500 SF	1,200 SF	NA	NA	NA	NA
Multifamily and senior housing	NA	NA	NA	NA	NA	NA	NA
Average Minimum Lot or Land Area/Unit							
Large single-family	7,500 SF	NA	NA	NA	NA	NA	NA
Standard single-family	4,500 SF	NA	NA	NA	NA	NA	NA
Zero lot line detached	3,000 SF	3,000 SF	NA	NA	NA	NA	NA
Attached row houses	2,500 SF	2,000 SF	1,500 SF	NA	NA	NA	NA
Multifamily and senior housing	NA	NA	NA	NA	NA	NA	NA

EXHIBIT "A"

Table 2 TOD District Zoning Standards							
Standard	Zoning Districts						
	LMR	MMR	HMR	EC	GC	C	OS
housing							
Minimum Lot Width							
Large single-family	50'	NA	NA	NA	NA	NA	NA
Standard single-family	50'	NA	NA	NA	NA	NA	NA
Zero lot line detached	30'	30'	NA	NA	NA	NA	NA
Attached row houses	24'	22'	18'	NA	NA	NA	NA
Multifamily and senior housing	NA	NA	NA	NA	NA	NA	NA
Minimum Lot Depth	50'	50'	50'	NA	NA	NA	NA
Building Setbacks							
Front (min./max.)	10'/15'	10'/15'	0'/15'	0'	15'	5'	15'
Side (between bldgs.) (detached/attached)	5' detached 0' attached (a)(c)	5' detached 0' attached (a)(c)	5' detached 0' attached (a)	0' 10' (b)	0' 15' (b)	0' 20' (b)	5'
Corner (min./max.)	5'/10'	5'/10'	0'/10'	5'/10'	15'/30'	5'/10'	15'/NA
Rear	15'	15'	10'	0' 10' (b)	15' (b) 0'	0' 20' (b)	5'
Garage Entrance	(d)	(d)	(d)	(e)	(e)	(e)	NA
Maximum Building Height	35'	45'	60'	60'	60'	45'	35'
Maximum Lot Coverage (g)	80%	80%	85%	100%	100%	85%	25%
Minimum Landscaped Area (i)	20% of site area	20% of site area	15% of site area	0% of site	15% of site	15% of site area	NA

EXHIBIT "A"

Table 2 TOD District Zoning Standards							
Standard	Zoning Districts						
	LMR	MMR	HMR	EC	GC	C	OS
			(j)	area (h)	area		
Housing Mix							
Required housing types as listed under Residential in Table 1.	<p>< 16 units in development: 1 housing type.</p> <p>16--40 units in development: 2 housing types.</p> <p>> 40 units in development: 3 or more housing types (plus approved master plan)</p>						

Notes:

NA--Not applicable.

- (a) The five-foot minimum also applies to the perimeter of the attached unit development.
- (b) Setback required when adjacent to a residential zone.
- (c) Setback required is ten feet minimum between units when using zero lot line configurations.
- (d) Ten feet behind front building facade facing street.
- (e) Garage entrance shall not protrude beyond the face of the building.
- (f) Net acre equals the area remaining after deducting environmental lands, exclusive employment areas, exclusive civic areas and right-of-way.
- (g) Lot coverage refers to all impervious surfaces including buildings and paved surfacing.

EXHIBIT "A"

- (h) Parking lot landscaping and screening requirements still apply.
- (i) Landscaped area shall include living ground cover, shrubs, trees, and decorative landscaping material such as bark, mulch or gravel. No pavement or other impervious surfaces are permitted except for pedestrian pathways and seating areas.
- (j) Rooftop gardens can be used to help meet this requirement.

Table 3	
TOD District and Corridor Parking Standards	
Use Categories	Minimum Required Parking
Residential	
Dwelling, Single-Family Large and standard lot Zero lot line, detached Attached row houses	2 spaces per unit.
Dwelling, Multifamily Plexes Apartments and condominiums Congregate (Senior) Housing	1.5 spaces per unit. 1.5 spaces per unit .5 spaces per dwelling unit
Dwelling, Accessory Unit	1 space per unit.
Boarding/Rooming House	1 space per accommodation, plus 1 space for every 2 employees.
Family Care Family day care Day care group home Adult day care	1 space for every 5 children or clients (minimum 1 space); plus 1 space for every 2 employees.
Home Occupation	Shall meet the parking requirement for the residence.
Residential Facility	1 space per unit.
Residential Home	1 space per unit.
Senior Housing	1 space per unit.

EXHIBIT "A"

Table 3 TOD District and Corridor Parking Standards	
Use Categories	Minimum Required Parking
<i>Commercial</i>	
Entertainment	1 space per 250 square feet of floor area, except for theaters which shall provide 1 space per 4 seats.
Professional Office	1 space per 400 square feet of floor area.
<i>Retail Sales and Service</i>	
Sales-oriented	1 space per 500 square feet of floor area.
Personal service-oriented	1 space per 500 square feet of floor area.
Repair-oriented	1 space per 500 square feet of floor area.
Drive-through facilities	Parking as required by the primary use.
Quick vehicle service	1 space per 750 square feet of floor area.
Vehicle sales, rental and repair	1 space per 1,000 square feet of floor area.
Tourist Accommodations	1 space per guest unit, plus 1 space for every 2 employees.
Motel/hotel	
Bed and breakfast inn	
<i>Industrial</i>	
Manufacturing	1 space per employee of the largest shift.
Industrial Service	1 space per employee of the largest shift.
Light	
Heavy	
Wholesale Sales	1 space per employee of the largest shift.
<i>Civic</i>	
Community Services	Number to be determined as part of site plan or conditional use review.
Hospital	1 space per 500 square feet of floor area.
Public Facilities	Number to be determined as part of site plan or conditional use

EXHIBIT "A"

<p align="center">Table 3 TOD District and Corridor Parking Standards</p>	
Use Categories	Minimum Required Parking
Religious Assembly	review. 1 space per 100 square feet of floor area for the main assembly area.
Schools	2 spaces per classroom.
Utilities	Number to be determined as part of site plan or conditional use review.
Open Space	
Parks and Open Space	Number to be determined as part of site plan or conditional use review.

(Ord. 1981 §4 (Exh. D), 2014; Ord. 1971 §4 (Exh. C) (part), 2013; Ord. 1867 §4(part), 2006; Ord. 1815 §1(part), Exh. B(part), 2000).

<p align="center">Table 4 TOD Corridor Land Uses</p>				
Use Categories	Zoning Districts			
	LMR	MMR	EC	GC
Residential				
Dwelling, Single-Family				
Large and standard lot	P	L4	N	N
Zero lot line, detached	P	P	N	N
Attached row houses	P	P	N	N
Dwelling, Multifamily				
Multiplex, apartment	P	P	L1	L1
Congregate (Senior)Housing	L5	P	L1	N
Accessory Units	P1	P1	C	N

EXHIBIT "A"

Table 4				
TOD Corridor Land Uses				
Use Categories	Zoning Districts			
	LMR	MMR	EC	GC
Boarding/Rooming House	N	C	N	N
Family Care				
Family day care	P	P	N	N
Day care group home	C	C	N	N
Adult day care	C	C	N	N
Home Occupation	P	P	P	N
Residential Facility	P	P	N	N
Residential Home	P	P	N	N
<i>Senior Housing</i>	<i>N</i>	<i>P</i>	<i>L1</i>	<i>N</i>
Commercial				
Entertainment	N	N	P	P
Professional Office	C	L3	P	P
Retail Sales and Service				
Sales-oriented	C	L3	P	P
Personal service-oriented	C	C	P	P
Repair-oriented	N	N	P	P
Drive-through facilities	N	N	P	P
Quick vehicle service	N	N	P	P
Vehicle sales, rental and repair	N	N	N	P
Tourist Accommodations				
Motel/hotel	N	N	P	P
Bed and breakfast inn	C	C	P	P
Industrial				

EXHIBIT "A"

Table 4				
TOD Corridor Land Uses				
Use Categories	Zoning Districts			
	LMR	MMR	EC	GC
Manufacturing	N	N	N	P
<i>Industrial Service</i>				
Light	N	N	N	P
Heavy	N	N	N	C
Wholesale Sales	N	N	N	P
Civic				
Community Services	C	C	N	N
Hospital	C	C	C	N
Public Facilities	C	C	C	C
Religious Assembly	C	C	C	N
Schools	C	C	N	N
Utilities	C	C	C	C
Open Space				
Parks and Open Space	P	P	P	P

N--Not permitted.

P--Permitted use.

P1--Permitted use, one unit per lot.

C--Conditional use.

L1--Only permitted as residential units above ground floor commercial uses.

L2--School athletic and play fields only. School building and parking lots are not permitted.

L3--Ground floor business within a multifamily building. Maximum floor area of ten thousand square feet per tenant.

EXHIBIT "A"

L4--Only permitted as a transition between adjacent lower density zones and/or when adjacent to an environmentally sensitive area.

L5—Permitted only when part of an existing or proposed congregate housing project on abutting property under the same ownership within the MMR or HMR district.

Table 5 TOD Corridor Zoning Standards				
Standard	Zone Districts			
	LMR	MMR	EC	GC
Density--Units Per Net Acre (f)				
Maximum	12	32	NA	NA
Minimum	6	14	NA	NA
Dimensional Standards				
Minimum Lot Area or Land Area/Unit				
Large single-family	5,000 SF	NA	NA	NA
Standard single-family	3,000 SF	NA	NA	NA
Zero lot line detached	2,700 SF	2,700 SF	NA	NA
Attached row houses	2,000 SF	1,500 SF	NA	NA
Multifamily and senior housing	2,000-SFNA	2,000-SFNA	1,000 SFNA	NA
Average Minimum Lot or Land Area/Unit				
Large single-family	7,500 SF	NA	NA	NA
Standard single-family	4,500 SF	NA	NA	NA
Zero lot line detached	3,000 SF	3,000 SF	NA	NA
Attached row houses	2,500 SF	2,000 SF	NA	NA
Multifamily and senior housing	2,000-SFNA	2,000-SFNA	1,000 SFNA	NA

EXHIBIT "A"

Table 5				
TOD Corridor Zoning Standards				
Standard	Zone Districts			
	LMR	MMR	EC	GC
Minimum Lot Width				
Large single-family	50'	NA	NA	NA
Standard single-family	50'	NA	NA	NA
Zero lot line detached	30'	30'	NA	NA
Attached row houses	24'	22'	NA	NA
Multifamily and senior housing	NA	NA	NA	NA
Minimum Lot Depth	50'	50'	NA	NA
Building Setbacks				
Front (min./max.)	10'/15'	10'/15'	0'	15'
Side (between bldgs.) detached/attached	5' detached 0' attached (a) (c)	5' detached 0' attached (a) (c)	0' 10' (b)	0' 15' (b)
Corner (min./max.)	5'/10'	5'/10'	5'/10'	15'/30'
Rear	15'	15'	0' 10' (b)	0' 15' (b)
Garage Entrance	(d)	(d)	(e)	(e)
Maximum Building Height	35'	45'	60'	60'
Maximum Lot Coverage (g)	80%	80%	100%	85%
Minimum Landscaped Area (i)	20% of site area	20% of site area	0% of site area	15% of site area
Housing Mix				
Required housing types as listed under Residential in Table 3.	< 16 units in development: 1 housing type 16--40 units in development: 2 housing types		NA	NA

EXHIBIT "A"

Table 5				
TOD Corridor Zoning Standards				
Standard	Zone Districts			
	LMR	MMR	EC	GC
	> 40 units in development: 3 or more housing types (plus approved master plan).			

NA--Not applicable

Notes:

- (a) The five-foot minimum also applies to the perimeter of the attached unit development.
- (b) Setback required when adjacent to a residential zone.
- (c) Setback required is ten feet minimum between units when using zero lot line configurations.
- (d) Ten feet behind building facade facing street.
- (e) Garage entrance shall not protrude beyond the face of the building.
- (f) Net acre equals the area remaining after deducting environmental lands, exclusive employment areas, exclusive civic areas and right-of-way.
- (g) Lot coverage refers to all impervious surfaces, including buildings and paved surfacing.
- (h) Parking lot landscaping and screening requirements still apply.
- (i) Landscaped area shall include living ground cover, shrubs, trees, and decorative landscaping material such as bark, mulch or gravel. No pavement or other impervious surfaces are permitted except for pedestrian pathways and seating areas.